

## Author Index

---

- Adabbo, H. E., L11  
Alday, F. G., L11  
Antoniou, R., 57  
  
Bernstein, I. M., 73  
Bohong, J., 205  
Borland, D. W., 57  
Brittain, J. O., 83, 93  
  
Cabral, A., 73  
Čadek, J., 135  
Chai, H. F., 159  
Chandler, H. D., 151  
Clavel, M., 181  
Cosandey, F., 175  
  
Gaal, I., 39  
Gdula, Z., 99  
Gryziecki, J., 99  
  
Hellstern, E., 213  
  
Hsu, T. Y., 205  
Huang, T. S., 83, 93  
  
Kharlamov, Y. A., 1  
Kuhlmann-Wilsdorf, D., 107, 119  
  
Laird, C., 159  
Lee, E.-W., 45  
Li, C.-Y., 217  
  
Maitra, A. K., L5  
McNelly, T. R., 45  
Meletis, E. I., 235  
Menigault, J., 181  
  
Nishida, M., 191  
  
Phani, K. K., L5  
Pink, E., L1  
  
Radnoci, G., 39  
Rahouadj, R., 181  
Ramirez, P., L11  
Ruano, O. A., L11  
Ruoff, S., 217  
Rosenberg, Z., L17  
  
Schultz, L., 213  
Singh, J., 227  
Stone, D., 217  
Stone, D. H., 73  
Svoboda, J., 135  
Szökefalvi-Nagy, A., 39  
  
Thompson, A. W., 73  
  
Venkataraman, G., 175  
  
Wayman, C. M., 191  
Wayman, C. M., 227  
  
Xuan, Q., 205



## Subject Index

### Alloys

- creep behavior of Ni-Cr alloys with trace additions of cerium, 175
- effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205
- electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191
- formation of secondary austenite during  $\alpha'$ - $\gamma$  transformation in an Fe-Ni-Mn alloy, 227
- glass formation in mechanically alloyed transition metal-titanium alloys, 213
- microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235
- microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy, 45
- mild wear of Al-Si binary alloys during unlubricated sliding, 57
- strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing, 181
- superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11

### Aluminium

- effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205
- mechanical behavior of  $\beta$ -LiAl, 93
- microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235
- microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy, 45
- mild wear of Al-Si binary alloys during unlubricated sliding, 57
- superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11

### Austenite

- formation of secondary austenite during  $\alpha'$ - $\gamma$  transformation in an Fe-Ni-Mn alloy, 227

### Calcium

- superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11

### Carbon

- mechanisms of cyclic softening and cyclic creep in low carbon steel, 159

### Cavity growth

- modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep, 135

### Cerium

- creep behavior of Ni-Cr alloys with trace additions of cerium, 175

### Chromium

- creep behavior of Ni-Cr alloys with trace additions of cerium, 175

- hydrogen attack in a 3Cr-1.5Mo steel at elevated temperatures, 217

### Coatings

- detonation spraying of protective coatings, 1

### Copper

- effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205
- microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235
- transient mechanical response of cyclically loaded copper to strain-rate changes, 151

### Corrosion cracking

- microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235

### Creep

- creep behavior of Ni-Cr alloys with trace additions of cerium, 175
- mechanisms of cyclic softening and cyclic creep in low carbon steel, 159
- modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep, 135

### Defect

- defect structure and mechanical behavior of  $\beta$ -LiAl, 83

### Deformation

- strain rate effects and associated deformation mode in a nickel-based-alloy during low cycle fatigue testing, 181

### Detonation spraying

- detonation spraying of protective coatings, 1

### Diffusion

- modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep, 135

### Ductile metals

- accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17

### Electron microscopy

- electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

### Failure

- cumulative flaw distribution function for predicting failure of glass, L5

### Fatigue

- strain rate effects and associated deformation mode in a nickel-based-alloy during low cycle fatigue testing, 181
- thermal fatigue behaviour of near-eutectoid steel, 73

### Flaw

- cumulative flaw distribution function for predicting failure of glass, L5

**Flash temperatures**

demystifying flash temperatures

I. Analytical expressions based on a simple model, 107

demystifying flash temperatures

II. First-order approximation for plastic contact spots, 119

**Glass**

cumulative flaw distribution function for predicting failure of glass, L5

glass formation in mechanically alloyed transition metal-titanium alloys, 213

**Guinier-Preston zones**

Guinier-Preston zones and the onset strain of serrated flow, L1

**Hydrogen**

hydrogen attack in a 3Cr-1.5Mo steel at elevated temperatures, 217

**Indium**defect structure and mechanical behavior of  $\beta$ -LiIn, 83**Iron**formation of secondary austenite during  $\alpha'$ - $\gamma$  transformation in an Fe-Ni-Mn alloy, 227**Lithium**defect structure and mechanical behavior of  $\beta$ -LiIn, 83mechanical behavior of  $\beta$ -LiAl, 93

microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235

**Magnesium**

microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy, 45

**Manganese**formation of secondary austenite during  $\alpha'$ - $\gamma$  transformation in an Fe-Ni-Mn alloy, 227**Martensite**

effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205

**Metals**

accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17

**Microstructure**

microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235

microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy, 45

**Molybdenum**

hydrogen attack in a 3Cr-1.5Mo steel at elevated temperatures, 217

**Nickel**

creep behavior of Ni-Cr alloys with trace additions of cerium, 175

electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

formation of secondary austenite during  $\alpha'$ - $\gamma$  transformation in an Fe-Ni-Mn alloy, 227

strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing, 181

**Plastic contact spots**

demystifying flash temperatures

II. First-order approximation for plastic contact spots, 119

**Precipitation**

electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

**Recovery**dynamic recovery of polycrystalline silver, 99  
stage IV recovery in deformed tungsten, 39**Serrated flow**

Guinier-Preston zones and the onset strain of serrated flow, L1

**Shape memory effect**

effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205

**Shape memory alloys**

electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

**Silicon**

mild wear of Al-Si binary alloys during unlubricated sliding, 57

**Silver**

dynamic recovery of polycrystalline silver, 99

**Sliding**

mild wear of Al-Si binary alloys during unlubricated sliding, 57

**Softening**

mechanisms of cyclic softening and cyclic creep in low carbon steel, 159

**Spall strength**

accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17

**Spherical cavity expansion analysis**

accounting for the spall strength of ductile metals by the spherical cavity expansion analysis, L17

**Steels**

hydrogen attack in a 3Cr-1.5Mo steel at elevated temperatures, 217

mechanisms of cyclic softening and cyclic creep in low carbon steel, 159

thermal fatigue behaviour of near-eutectoid steel, 73

**Strain**

Guinier-Preston zones and the onset strain of serrated flow, L1

strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing, 181

transient mechanical response of cyclically loaded copper to strain-rate changes, 151

**Stress**

microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235

**Superplastic behavior**

superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11

**Superplastic flow**

microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy, 45

**Titanium**

electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys, 191

glass formation in mechanically alloyed transition metal-titanium alloys, 213

**Transformation**

formation of secondary austenite during  $\alpha'$ - $\gamma$  transformation in an Fe-Ni-Mn alloy, 227

**Transition metal**

glass formation in mechanically alloyed transition metal-titanium alloys, 213

**Tungsten**

stage IV recovery in deformed tungsten, 39

**Wear**

mild wear of Al-Si binary alloys during unlubricated sliding, 57

**Zinc**

effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy, 205

superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy, L11

**Zirconium**

microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy, 235



## CONTENTS

EDITORIAL .....	v
MATERIALS ENGINEERING FORUM	
Detonation spraying of protective coatings .....	1
Y. A. Kharlamov (Voroshilovgrad, U.S.S.R.)	
Stage IV recovery in deformed tungsten .....	39
A. Szökefalvi-Nagy, G. Radnóczy and I. Gaal (Budapest, Hungary)	
Microstructure evolution during processing and superplastic flow in a high magnesium Al-Mg alloy .....	45
E.-W. Lee (Warminster, PA, U.S.A.) and T. R. McNelley (Monterey, CA, U.S.A.)	
Mild wear of Al-Si binary alloys during unlubricated sliding .....	57
R. Antoniou and D. W. Borland (Melbourne, Victoria, Australia)	
The thermal fatigue behavior of near-eutectoid steel .....	73
A. Cabral (East Hartford, CT, U.S.A.), A. W. Thompson, I. M. Bernstein (Pittsburgh, PA, U.S.A.) and D. H. Stone (Chicago, IL, U.S.A.)	
Defect structure and mechanical behavior of $\beta$ -LiIn .....	83
T. S. Huang and J. O. Brittain (Evanston, IL, U.S.A.)	
The mechanical behavior of $\beta$ -LiAl .....	93
T. S. Huang and J. O. Brittain (Evanston, IL, U.S.A.)	
Dynamic recovery of polycrystalline silver .....	99
J. Gryziecki and Z. Gdula (Cracow, Poland)	
Demystifying flash temperatures	
I. Analytical expressions based on a simple model .....	107
D. Kuhlmann-Wilsdorf (Charlottesville, VA, U.S.A.)	
Demystifying flash temperatures	
II. First-order approximation for plastic contact spots .....	119
D. Kuhlmann-Wilsdorf (Charlottesville, VA, U.S.A.)	
Modelling intergranular cavity growth with special reference to the mechanism of coupled diffusion and power-law creep .....	135
J. Svoboda and J. Čadež (Brno, Czechoslovakia)	
Transient mechanical response of cyclically loaded copper to strain-rate changes .....	151
H. D. Chandler (Johannesburg, South Africa)	
Mechanisms of cyclic softening and cyclic creep in low carbon steel .....	159
H. F. Chai and C. Laird (Philadelphia, PA, U.S.A.)	
Creep behavior of Ni-Cr alloys with trace additions of cerium .....	175
G. Venkataraman and F. Cosandey (Piscataway, NJ, U.S.A.)	
Strain rate effects and associated deformation mode in a nickel-based alloy during low cycle fatigue testing .....	181
R. Rahouadj, J. Menigault and M. Clavel (Compiègne, France)	
Electron microscopy studies of precipitation processes in near-equiatomic TiNi shape memory alloys .....	191
M. Nishida and C. M. Wayman (Urbana, IL, U.S.A.)	
The effect of martensite ordering on shape memory effect in a copper-zinc-aluminium alloy .....	205
Q. Xuan, J. Bohong and T. Y. Hsu (X. Zuyao) (Shanghai, China)	
Glass formation in mechanically alloyed transition metal-titanium alloys .....	213
E. Hellstern and L. Schultz (Erlangen, F.R.G.)	
Hydrogen attack in a 3Cr-1.5Mo steel at elevated temperatures .....	217
S. Ruoff, D. Stone and C.-Y. Li (Ithaca, NY, U.S.A.)	
Formation of secondary austenite during $\alpha'$ - $\gamma$ transformation in an Fe-Ni-Mn alloy .....	227
J. Singh and C. M. Wayman (Urbana, IL, U.S.A.)	
Microstructure and stress-corrosion cracking relationship in an Al-Li-Cu-Zr alloy .....	235
E. I. Meletis (Davis, CA, U.S.A.)	
CONFERENCE CALENDAR .....	247
LETTERS	
Guinier-Preston zones and the onset strain of serrated flow .....	L1
E. Pink (Leoben, Austria)	

(continued on inside back cover)

## Submission of papers

Manuscripts for the main part of the journal should be submitted to the Editor-in-Chief, Professor H. Herman, or for authors in Japan to Professor H. Kimura:

Professor Herbert Herman  
Department of Materials Science and Engineering  
State University of New York at Stony Brook  
Long Island, NY 11794, U.S.A.

Professor Hiroshi Kimura  
Research Institute for Iron, Steel and Other Metals  
Tohoku University  
Sendai, Japan

Manuscripts for the Letters Section should be submitted as follows:

For authors in Europe except Great Britain

Professor Haël Mughrabi  
Institut für Werkstoffwissenschaften  
Universität Erlangen-Nürnberg  
Martensstrasse 5, D-8520 Erlangen, F.R.G.

For authors in Japan

Professor Hiroshi Kimura  
Research Institute for Iron, Steel and Other Metals  
Tohoku University  
Sendai, Japan

For authors in North and South America,  
Great Britain and the rest of the world

Professor Herbert Herman  
Department of Materials Science and Engineering  
State University of New York at Stony Brook  
Long Island, NY 11794, U.S.A.

## Manuscripts

Three copies should be submitted to the Editor, in double-spaced typing on pages of uniform size and with wide margins (Letters should not exceed 2000 words and a maximum of 5 figures). All tables and illustrations should bear a title or legend.

An *abstract* should accompany reviews, original papers and Letters. It should present (preferably in 100–150 words; 50 words or less for Letters) a brief and factual account of the contents and conclusions of the paper, and an indication of the relevance of new material.

*References* should be indicated by numerals in square brackets, introduced consecutively and appropriately in the text. References must be listed on separate sheet(s) at the end of the paper. Every reference appearing in the text should be quoted in the reference list, and vice versa.

One set of line drawings should be in a form suitable for reproduction, drawn in Indian ink on drawing or tracing paper (letter height, 3–5 mm). Photographs should be high contrast glossy black-and-white prints; duplicates of micrographs should be provided wherever possible to facilitate the refereeing process. Where magnifications are concerned, it is preferable to indicate the scale by means of a ruled scale bar on the photograph. Legends to illustrations should be typed in sequence on a separate page.

Authors must express all quantities in SI units, with other units in parentheses if desired.

## CONTENTS (continued)

A cumulative flaw distribution function for predicting failure of glass . . . . .	L5
K. K. Phani and A. K. Maitra (Calcutta, India)	
Superplastic behavior of Al-5wt.%Ca-5wt.%Zn alloy . . . . .	L11
O. A. Ruano, P. Ramirez, F. G. Alday and H. E. Adabbo (Madrid, Spain)	
Accounting for the spall strength of ductile metals by the spherical cavity expansion analysis . . . . .	L17
Z. Rosenberg (Haifa, Israel)	
AUTHOR INDEX . . . . .	249
SUBJECT INDEX . . . . .	251

